



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CEREBROSPINAL MENINGITIS.

State Reports for October, 1916.

Place.	New cases reported.	Place.	New cases reported.
Hawaii:		Kansas—Continued.	
Oahu—		McPherson County.....	1
Honolulu.....	1	Total.....	4
Kansas:		Washington:	
Bourbon County.....	1	King County—	
Coffey County.....	1	Seattle.....	1
Comanche County.....	1		

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill.....	3	1	Nashville, Tenn.....		1
Detroit, Mich.....		1	New York, N. Y.....	3	1
Jersey City, N. J.....		1	Philadelphia, Pa.....	2	1
Lexington, Ky.....		1	Pittsfield, Mass.....	1	1
Lowell, Mass.....	1		St. Louis, Mo.....	1	
Lynn, Mass.....	2		Saratoga Springs, N. Y.....	1	

DIPHTHERIA.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3369.

DYSENTERY-LIKE EPIDEMIC.

Alabama—Talladega.

The health officer of Talladega County reports that during previous years typhoid fever and cases of diarrhea have been rather common in Talladega, particularly among new comers. Following a change in the water supply from a polluted spring to an artesian well, the typhoid and diarrhea were greatly reduced in prevalence. About October 20, 1916, the present outbreak began with about 50 new cases each day. These cases were characterized by an acute onset, a griping pain in the abdomen, diarrhea, and some nausea. Many had fever and were prostrated. The diarrhea persisted for from a week to six weeks and frequently reappeared after a few days' intermission. No deaths appear to have been due directly to the condition. On November 30 at least one-fourth of the population is believed to have been affected. An officer of the Public Health Service has been detailed to make an investigation.

ERYSIPELAS.**City Reports for Week Ended Nov. 18, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass.....		1	Lincoln, Nebr.....	1	
Braddock, Pa.....	1		Los Angeles, Cal.....	4	
Buffalo, N. Y.....	5	2	Milwaukee, Wis.....	4	
Butte, Mont.....	1	1	New York, N. Y.....		3
Chicago, Ill.....	15	1	Philadelphia, Pa.....	4	1
Cincinnati, Ohio.....	1		Pittsburgh, Pa.....	5	1
Cleveland, Ohio.....	3		Sacramento, Cal.....	2	
Dayton, Ohio.....	1		St. Louis, Mo.....	6	
Detroit, Mich.....	4	2	San Francisco, Cal.....	2	
East Chicago, Ind.....		1	York, Pa.....	1	
Kalamazoo, Mich.....		1			

LEPROSY.**Hawaii Report for October, 1916.**

During the month of October, 1916, four cases of leprosy were reported in the Territory of Hawaii as follows: Three cases in Honolulu and one case in Lahaina district.

MALARIA.**Kansas Report for October, 1916.**

Place.	New cases reported.	Place.	New cases reported.
Kansas:		Kansas—Continued.	
Chase County.....	2	Osage County.....	1
Cowley County.....	3	Shawnee County—	
Douglas County.....	2	Topeka.....	1
Montgomery County.....	2		
Nemaha County.....	2	Total.....	13

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	1	1	New Orleans, La.....	4	
Fall River, Mass.....	2		New York, N. Y.....		1
Long Beach, Cal.....	1		San Francisco, Cal.....	1	

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3369.

PELLAGRA.**City Reports for Week Ended Nov. 18, 1916.**

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....		1	Galveston, Tex.....		1
Cambridge, Mass.....	1		Los Angeles, Cal.....	1	
Charleston, S. C.....		2	Mobile, Ala.....		2
Denver, Colo.....	1		New Orleans, La.....	1	1
Fort Worth, Tex.....		1	New York, N. Y.....	1	

PLAGUE.

Hawaii—Plague-Infected Rats Found.

Surgeon Trotter reported that two plague-infected rats were found in the Amana stables of the Hamakua Mill Co., Island of Hawaii, one on November 7 and one November 9, 1916.

The last previous plague-infected rat found in the locality was at Paauhau, on the Hamakua coast, January 18, 1916.

PNEUMONIA.

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.....	1	Kansas City, Mo.....	6	5
Beaver Falls, Pa.....	1	Los Angeles, Cal.....	6	3
Braddock, Pa.....	1	1	Norfolk, Va.....	1	1
Butte, Mont.....	5	Pawtucket, R. I.....	1	1
Chicago, Ill.....	150	72	Philadelphia, Pa.....	33	32
Cleveland, Ohio.....	28	Pittsburgh, Pa.....	30	27
Coffeyville, Kans.....	1	Reading, Pa.....	3	2
Dayton, Ohio.....	3	8	Saginaw, Mich.....	1	1
Detroit, Mich.....	4	8	San Francisco, Cal.....	9	7
Dubuque, Iowa.....	1	1	San Jose, Cal.....	1	2
Jackson, Mich.....	3	Schenectady, N. Y.....	4	1
Johnstown, Pa.....	4	5	Stockton, Cal.....	2	2
Kalamazoo, Mich.....	1			

POLIOMYELITIS (INFANTILE PARALYSIS).

Cases Reported by States.

The following tabular statement shows the number of cases of poliomyelitis reported to the United States Public Health Service by State health authorities during the periods shown:

	Total cases reported.		Total cases reported.
Alabama:		Connecticut:	
July 1 to 31.....	77	July 1 to 31.....	165
Aug. 1 to 31.....	62	Aug. 1 to 31.....	367
Sept. 1 to 25.....	12	Sept. 1 to 30.....	274
Oct. 1 to 31.....	8	Oct. 1 to 31.....	91
Arizona:	159	Nov. 1 to Dec. 2.....	19
July 1 to 31.....	2		
Aug. 1 to 31.....	2	Delaware:	
Sept. 1 to 25.....	2	July 1 to 31.....	1
Arkansas:	6	Aug. 1 to 31.....	11
July 1 to 31.....	5	Sept. 1 to 30.....	36
Aug. 1 to 31.....	1	Oct. 1 to Nov. 25.....	28
Sept. 1 to 30.....	5		
California:	11	District of Columbia:	
July 1 to 31.....	12	July 1 to 31.....	8
Aug. 1 to 31.....	18	Aug. 1 to 31.....	18
Sept. 1 to 30.....	13	Sept. 1 to 30.....	6
Oct. 1 to 31.....	21	Oct. 1 to 31.....	4
Nov. 1 to Dec. 2.....	21	Nov. 1 to 30.....	0
Colorado:	85		
July 1 to 31.....	1	Florida:	
Aug. 1 to 31.....	2	July 1 to 31.....	4
Sept. 1 to 30.....	4	Aug. 1 to 31.....	3
Oct. 1 to Nov. 4.....	5	Sept. 1 to 25.....	1
	12	Georgia.....	(1)

¹ Disease present, but the number of cases is not known.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Cases Reported by States—Continued.

	Total cases reported.		Total cases reported.
Idaho:		Mississippi:	
Aug. 1 to 31.....	4	July 1 to 31.....	57
Sept. 1 to 30.....	3	Aug. 1 to 31.....	31
Oct. 1 to 31.....	2	Sept. 1 to 30.....	14
Nov. 1 to 10.....	1	Oct. 1 to 31.....	10
	10		112
Illinois:		Missouri:	
July 1 to 31.....	76	July 1 to 31.....	4
Aug. 1 to 31.....	339	Aug. 1 to 31.....	3
Sept. 1 to 30.....	257	Sept. 1 to 25.....	4
Oct. 1 to Dec. 2.....	154		11
	826	Montana:	
Indiana:		July 1 to 31.....	11
July 1 to 31.....	27	Aug. 1 to 31.....	28
Aug. 1 to 31.....	38	Sept. 1 to 30.....	33
Sept. 1 to 30.....	67	Oct. 1 to Dec. 2.....	15
Oct. 1 to 31.....	57		187
	189	Nebraska:	
Iowa:		July 1 to 31.....	1
July 1 to 31.....	30	Aug. 1 to 31.....	7
Aug. 1 to 31.....	82	Sept. 1 to 28.....	6
Sept. 1 to 30.....	66		14
Oct. 1 to 31.....	31	Nevada:	
Nov. 1 to 11.....	11	July 1 to Sept. 24.....	0
	220	New Hampshire:	
Kansas:		July 1 to 31.....	7
July 1 to 31.....	14	Aug. 1 to 31.....	16
Aug. 1 to 31.....	31	Sept. 1 to 30.....	33
Sept. 1 to 30.....	19	Oct. 1 to 31.....	5
Oct. 1 to 31.....	22		61
Nov. 1 to 4.....	1	New Jersey:	
	87	July 1 to 31.....	640
Kentucky:		Aug. 1 to 31.....	2,114
July 1 to 31.....	15	Sept. 1 to 30.....	957
Aug. 1 to 31.....	19	Oct. 1 to 31.....	254
Sept. 1 to 28.....	1	Nov. 1 to 4.....	3
	35		3,963
Louisiana:		New Mexico:	
July 1 to 31.....	19	July 1 to Sept. 25.....	0
Aug. 1 to 31.....	6	New York (exclusive of New	
Sept. 1 to 30.....	5	York City):	
Oct. 1 to 31.....	3	July 1 to 31.....	517
Nov. 1 to Dec. 2.....	4	Aug. 1 to 31.....	1,527
	37	Sept. 1 to 30.....	1,064
Maine:		Oct. 1 to 31.....	334
July 1 to 31.....	0		3,442
Aug. 1 to 31.....	26	North Carolina:	
Sept. 1 to 30.....	46		(?)
Oct. 1 to Nov. 18.....	46	North Dakota:	
	118	July 1 to 31.....	0
Maryland:		Aug. 1 to 31.....	2
July 1 to 31.....	10	Sept. 1 to 30.....	16
Aug. 1 to 31.....	64	Oct. 1 to 31.....	5
Sept. 1 to 30.....	100		23
Oct. 1 to 31.....	120	Ohio:	
Nov. 1 to 30.....	43	July 1 to 31.....	94
Dec. 1 to 5.....	0	Aug. 1 to 31.....	168
	337	Sept. 1 to 30.....	138
Massachusetts:		Oct. 1 to 31.....	56
July 1 to 31.....	107		456
Aug. 1 to 31.....	252	Oklahoma:	
Sept. 1 to 30.....	623	July 1 to 31.....	12
Oct. 1 to 31.....	702	Aug. 1 to 31.....	10
Nov. 1 to 30.....	180	Sept. 1 to Nov. 15.....	13
	1,864		35
Michigan:		Oregon:	
July 1 to 31.....	51	Sept. 1 to 30.....	85
Aug. 1 to 31.....	163	Oct. 1 to 31.....	28
Sept. 1 to 30.....	166	Nov. 1 to 4.....	2
Oct. 1 to 31.....	97		35
Nov. 12 to Dec. 2.....	17	Pennsylvania:	
	494	July 1 to 31.....	107
Minnesota:		Aug. 1 to 31.....	711
July 1 to 31.....	142	Sept. 1 to 30.....	743
Aug. 1 to 31.....	377	Oct. 8 to 31.....	250
Sept. 1 to 30.....	199	Nov. 1 to Dec. 1.....	82
Oct. 1 to 31.....	148		1,893
Nov. 1 to 25.....	40		
	906		

¹ Not including cases on Crow Reservation.

² Disease present, but the number of cases is not known.

³ Corrected figures. Later report than figures previously published.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

City Reports—Sept. 3 to Dec. 2, 1916—Continued.

City.	Cases reported for week ended—													
	Sept. 9.	Sept. 16.	Sept. 23.	Sept. 30.	Oct. 7.	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	
Minneapolis, Minn...	4	5		3		2	1	2						
Newark, N. J.	45	38	30	12	17	9		1	1	3				
Newburyport, Mass.	5	1	7	2	1	3						1		
New Haven, Conn.	4	7	1	1		1			1	1				
New York, N. Y.	352	252	156	142	96	72	43	37	19	14	4	9	9	
Philadelphia, Pa.	125	85	70	47	59	27	26	24	7	8	6	2	3	
Pittsburgh, Pa.	5	2	1	1	1	1	1	1		1				
Pittsfield, Mass.	10	8	6	4	4	5	8	4					1	
Plainfield, N. J.	6	4	2	3	1	3								
Portland, Oreg.		1	1	1	3	4	5	1	1	1				
Providence, R. I.	7	10	17	9	9	7	3	9	8	3	5	2		
Quincy, Mass.		4	5	4										
St. Paul, Minn.	7	2	3	2	4		1		1					
Somerville, Mass.	1	7	1		5	3	4	5	3	2	3			
Springfield, Mass.	9	12	8	9	5	3	4	2	3	4	5	1		
Syracuse, N. Y.	49	29	20	12	11	5		4		2				
Toledo, Ohio.	11	1	2	3	1	2	1	1	1					
Trenton, N. J.	11	14	23	34	20	8	12	4	1	1				
Waltham, Mass.		2			8	2	9	2	2		1	1		
Wilmington, Del...	3	2	3	8	7	6	3	5	1	1		1		

State Reports for October, 1916.

Place.	New cases reported.	Place.	New cases reported.
Kansas:		North Dakota:	
Allen County	3	Burke County	1
Barton County	1	Nelson County	1
Cherokee County	2	Ransom County	1
Cloud County	2	Rolette County	2
Crawford County	2	Total	5
Elk County	1		
Gove County	1	Washington:	
Graham County	2	King County	1
Johnson County	1	Kitittas County	1
Marion County	1	Stevens County	1
McPherson County	1	Walla Walla County	1
Nemaha County	1	Total	4
Osborne County	1		
Phillips County	1		
Rawlins County	1		
Saline County	1		
Total	22		

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.	1		Milwaukee, Wis.	1	
Baltimore, Md.	5	1	Nanticoke, Pa.	1	
Boston, Mass.	7	2	New Britain, Conn.	1	
Brookline, Mass.		1	Newton, Mass.	1	
Cambridge, Mass.	1		New York, N. Y.	4	5
Chicago, Ill.	1		Northampton, Mass.	1	
Everett, Mass.	1		Philadelphia, Pa.	6	6
Fitchburg, Mass.		2	Portland, Oreg.		1
Grand Rapids, Mich.	1		Providence, R. I.	5	
Hartford, Conn.		1	Quincy, Mass.		1
Kenosha, Wis.		1	San Francisco, Cal.	1	
Los Angeles, Cal.	1		Somerville, Mass.	3	
Lynn, Mass.	1		Springfield, Mass.	5	
Malden, Mass.	1		Toledo, Ohio.		1
Manchester, N. H.	1		Waltham, Mass.	1	

RABIES IN MAN.**City Report for Week Ended Nov. 18, 1916.**

During the week ended November 18, 1916, one fatal case of rabies in man was reported in Cincinnati, Ohio.

RABIES IN ANIMALS.**City Reports for Week Ended Nov. 18, 1916.**

During the week ended November 18, 1916, two cases of rabies in animals were reported in Buffalo, N. Y., and six cases in Everett, Wash.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3369.

SMALLPOX.**Connecticut—Waterbury.**

The health officer of Waterbury, Conn., reported by telegraph December 4, 1916, that there were present in that city 21 cases of smallpox of the mild type.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended December 2, 1916, two new foci of smallpox infection occurred in Minnesota, cases of the disease having been notified as follows: Lac Qui Parle County, Baxter Township, 1; Morrison County, Pike Creek Township, 1.

Kansas Report for October, 1916.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Kansas:						
Brown County.....	1				1	
Butler County.....	1					1
Doniphan County.....	25				11	14
Marion County.....	2				2	
Norton County.....	1					1
Osborne County.....	14				14	
Pratt County.....	3				2	1
Riley County.....	2				2	
Rooks County.....	8			1	6	1
Seward County.....	3				3	
Shawnee County—						
Topeka.....	2				2	
Stafford County.....	5				4	1
Total.....	67			1	47	19

SMALLPOX—Continued.

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
North Dakota (Oct. 1-31):			Washington (Oct. 1-31):		
Cass County.....	2	Pierce County—		
Golden Valley County.....	3	Tacoma.....	1
Kidder County.....	9	Skagit County.....	4
Morton County.....	1	Snohomish County.....	6
Nelson County.....	3	Spokane County.....	2
Sargent County.....	12	Spokane.....	4
Stutsman County.....	10	Total.....	17
Total.....	40			

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Butte, Mont.....	1	Minneapolis, Minn.....	1
Chicopee, Mass.....	1	New Orleans, La.....	1
Cleveland, Ohio.....	9	Oakland, Cal.....	1
Danville, Ill.....	2	Oklahoma, Okla.....	1
Detroit, Mich.....	1	Omaha, Nebr.....	1
El Paso, Tex.....	1	Portland, Oreg.....	2
Indianapolis, Ind.....	1	St. Paul, Minn.....	2
Kansas City, Mo.....	1	Sioux City, Iowa.....	5
Little Rock, Ark.....	1	Springfield, Ill.....	1
Milwaukee, Wis.....	1	Toledo, Ohio.....	1

TETANUS.

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Charleston, S. C.....	2	Los Angeles, Cal.....	1	1
Chicago, Ill.....	1	1			

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3369.

TYPHOID FEVER.

State Reports for October, 1916.

Place.	New cases reported.	Place.	New cases reported.
Hawaii:		Kansas:	
Hawaii—		Allen County.....	7
Hamakua District.....	1	Atchison County.....	1
Hilo.....	3	Atchison.....	1
North Kona District.....	2	Barber County.....	2
Kauai—		Barton County.....	5
Koloa District.....	3	Brown County.....	3
Lihue District.....	2	Butler County.....	17
Oahu—		Chautauqua County.....	3
Honolulu.....	6	Cherokee County.....	3
Total.....	17	Cheyenne County.....	1
		Clay County.....	2
		Comanche County.....	3

TYPHOID FEVER—Continued.

State Reports for Oct., 1916—Continued.

Place.	New cases reported.	Place.	New cases reported.
Kansas—Continued.		Kansas—Continued.	
Cowley County.....	5	Seward County.....	1
Crawford County.....	3	Shawnee County.....	28
Pittsburg.....	4	Topeka.....	46
Decatur County.....	2	Trego County.....	2
Dickinson County.....	14	Wabaunsee County.....	3
Doniphan County.....	1	Wallace County.....	1
Douglas County.....	49	Woodson County.....	3
Edwards County.....	3	Wyandotte County.....	5
Franklin County.....	2	Kansas City.....	6
Gray County.....	2		
Greenwood County.....	3	Total.....	393
Hamilton County.....	1		
Harper County.....	3	North Dakota:	
Harvey County.....	1	Burke County.....	1
Haskell County.....	2	Emmons County.....	1
Jackson County.....	5	McHenry County.....	10
Jefferson County.....	10	McLean County.....	1
Jewell County.....	3	Morton County.....	1
Johnson County.....	7	Mountrail County.....	2
Labette County.....	4	Ramsey County.....	1
Parsons.....	4	Stutsman County.....	5
Leavenworth County.....	1	Williams County.....	8
Leavenworth.....	3		
Linn County.....	1	Total.....	30
Lyons County.....	5		
Marion County.....	8	Washington:	
Marshall County.....	1	Adams County.....	1
McPherson County.....	4	Benton County.....	6
Miami County.....	1	Chelan County.....	1
Mitchell County.....	2	Columbia County.....	3
Montgomery County.....	12	Cowlitz County.....	2
Coffeyville.....	4	Franklin County.....	2
Morris County.....	1	Jefferson County.....	1
Nemaha County.....	8	King County—	
Neosho County.....	4	Seattle.....	14
Ness County.....	3	Lincoln County.....	1
Norton County.....	2	Okanogan County.....	2
Osage County.....	4	Pacific County.....	1
Osborne County.....	3	Pierce County.....	1
Ottawa County.....	1	Tacoma.....	3
Pawnee County.....	1	Skagit County.....	2
Pottawatomie County.....	2	Snohomish County—	
Pratt County.....	3	Everett.....	2
Reno County.....	8	Spokane County.....	5
Hutchinson.....	11	Stevens County.....	1
Republic County.....	1	Thurston County.....	1
Rice County.....	2	Wahkiakum County.....	1
Rush County.....	4	Walla Walla County.....	1
Russell County.....	1	Whitman County.....	2
Saline County.....	4	Yakima County.....	17
Scott County.....	1		
Sedgwick County—		Total.....	70
Wichita.....	16		

City Reports for Week Ended Nov. 18, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlantic City, N. J.....	3	Cumberland, Md.....	1
Baltimore, Md.....	13	3	Danville, Ill.....	1
Berkeley, Cal.....	1	Davton, Ohio.....	3	1
Binghamton, N. Y.....	1	Denver, Colo.....	2
Boston, Mass.....	3	Detroit, Mich.....	5	4
Bridgeport, Conn.....	4	1	Duluth, Minn.....	4
Buffalo, N. Y.....	6	1	East Chicago, Ind.....	2
Cambridge, Mass.....	2	El Paso, Tex.....	1
Canton, Ohio.....	3	Fall River, Mass.....	5	1
Charleston, S. C.....	1	Fort Worth, Tex.....	1	1
Chicago, Ill.....	14	3	Galesburg, Ill.....	1	1
Cincinnati, Ohio.....	1	1	Grand Rapids, Mich.....	1
Cleveland, Ohio.....	4	Harrisburg, Pa.....	1	3
Columbus, Ohio.....	4	Hartford, Conn.....	3
Covington, Ky.....	1	Hoboken, N. J.....	1

TYPHOID FEVER—Continued.

City Reports for Week Ended Nov. 18, 1916—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Indianapolis, Ind.	8	Portland, Oreg.	1
Jersey City, N. J.	1	3	Portsmouth, Va.	1
Johnstown, Pa.	1	Providence, R. I.	1
Kansas City, Mo.	2	Quincy, Ill.	1
Kenosha, Wis.	1	Reading, Pa.	1
Lancaster, Pa.	1	Sacramento, Cal.	1
Lawrence, Mass.	1	Saginaw, Mich.	1
Lima, Ohio.	3	St. Louis, Mo.	33	2
Long Beach, Cal.	1	St. Paul, Minn.	2
Los Angeles, Cal.	5	1	Salt Lake City, Utah.	1
Lynn, Mass.	2	San Diego, Cal.	1	1
Milwaukee, Wis.	1	1	Schenectady, N. Y.	2
Minneapolis, Minn.	1	Seattle, Wash.	1
Mobile, Ala.	1	Somerville, Mass.	1
Nanticoke, Pa.	1	Springfield, Ill.	1
Nashville, Tenn.	1	1	Springfield, Mass.	1
New Bedford, Mass.	1	Syracuse, N. Y.	1
New Castle, Pa.	1	Taunton, Mass.	1
New Haven, Conn.	1	Toledo, Ohio.	4
New London, Conn.	1	Topeka, Kans.	1
New Orleans, La.	5	2	Trenton, N. J.	1
Newton, Mass.	1	Troy, N. Y.	1
New York, N. Y.	33	11	Waltham, Mass.	2
Norfolk, Va.	2	Washington, D. C.	3	1
Norristown, Pa.	2	1	Wilkes-Barre, Pa.	2
Northampton, Mass.	1	Williamsport, Pa.	1
Oklahoma, Okla.	1	Wilmington, Del.	5
Orth Amboy, N. J.	1	Worcester, Mass.	1	1
Philadelphia, Pa.	10	1	York, Pa.	1
Pittsburgh, Pa.	2	1	Zanesville, Ohio.	3
Portland, Me.	2			

TYPHUS FEVER.

Illinois—Princeville and Surrey.

The State health officer of Illinois reported that two cases of typhus fever were notified in Illinois, as follows: One at Princeville, in a patient who had recently come from Fort Madison, Iowa, and was taken sick November 15, 1916; the other case being in a man at Surrey, taken sick there November 12, and discovered at Fort Madison, Iowa, November 17, 1916.

Texas—El Paso.

Acting Asst. Surg. Tappan reported that during the week ended November 25, 1916, one case of typhus fever was notified at El Paso, Tex., making a total of 33 cases reported since July 1, 1916.

Texas—S. N. J. Ranch.

Senior Surg. Pierce reported that a case of typhus fever was discovered November 22, 1916, in the person of S. H., aged 20 years, located on the S. N. J. Ranch, 6 miles below Laredo, Tex. The patient had recently crossed over from Nuevo Laredo, Mexico.

TYPHUS FEVER—Continued.**City Reports for Week Ended Nov. 18, 1916.**

During the week ended November 18, 1916, two fatal cases of typhus fever were reported in El Paso, Tex., and two cases were reported in Topeka, Kans.

PREVENTABLE DISEASES.**Massachusetts Report for Week Ended Nov. 25, 1916.**

	Cases reported.		Cases reported.
Anthrax.....	1	Ophthalmia neonatorum.....	33
Cerebrospinal meningitis.....	4	Poliomyelitis (infantile paralysis).....	29
Chicken pox.....	118	Scarlet fever.....	103
Diphtheria.....	152	Septic sore throat.....	5
Dysentery.....	8	Tetanus.....	1
German measles.....	2	Tuberculosis (pulmonary).....	142
Malaria.....	9	Tuberculosis (other forms).....	8
Measles.....	162	Typhoid fever.....	30
Mumps.....	49	Whooping cough.....	44

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.**State Reports for Oct., 1916.**

State.	Cases-reported.		
	Diphtheria.	Measles.	Scarlet fever.
Hawaii.....	10	26
Kansas.....	256	103	184
North Dakota.....	61	61	38
Washington.....	21	997	64

City Reports for Week Ended Nov. 18, 1916.

	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md.....	584,605	171	14	9	25	20
Boston, Mass.....	745,139	200	38	4	14	18	32	22
Chicago, Ill.....	2,447,045	618	266	22	69	1	164	1	240	72
Cleveland, Ohio.....	656,975	178	72	51	9	32
Detroit, Mich.....	554,717	189	104	10	1	60	45	8
New York, N. Y.....	5,468,190	1,272	190	11	24	62	349	183
Philadelphia, Pa.....	1,683,664	536	59	11	11	16	1	99	53
Pittsburgh, Pa.....	571,984	164	41	30	18	1	27	12
St. Louis, Mo.....	745,988	180	76	7	14	18	2	34	15
From 300,000 to 500,000 inhab- itants:										
Buffalo, N. Y.....	461,335	157	22	4	3	2	16	11
Cincinnati, Ohio.....	406,706	112	45	2	16	30	16
Jersey City, N. J.....	300,133	66	18	3	6	17	7
Los Angeles, Cal.....	465,367	8	1	3	11	30	15
Milwaukee, Wis.....	428,062	70	35	2	2	36	18	6
Minneapolis, Minn.....	353,460	19	1	7
New Orleans, La.....	366,484	15	1	79	2	24	29

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Nov. 18, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 300,000 to 500,000 inhabit- ants—Continued.										
San Francisco, Cal.	1 416,912	21	14	16	47	15
Seattle, Wash.	330,834	39	2	11	6	13	2
Washington, D. C.	358,679	110	29	1	3	10	21	13
From 200,000 to 300,000 inhabit- ants:										
Columbus, Ohio.	209,722	71	20	1	12	10	9	5
Denver, Colo.	253,161	56	17	7	7	4
Indianapolis, Ind.	265,578	72	5	10	5
Kansas City, Mo.	289,879	56	12	1	1	9	12	5
Portland, Oreg.	272,833	50	6	7	12	3	3
Providence, R. I.	250,025	57	12	3	11	6
St. Paul, Minn.	241,999	39	6	2	11	7	3
From 100,000 to 200,000 inhabit- ants:										
Birmingham, Ala.	174,108	50	8	3	6	1	3	6
Bridgeport, Conn.	118,434	40	6	1	4	1
Cambridge, Mass.	111,669	20	15	1	3	3	4
Camden, N. J.	104,349	3	1	1	1
Dayton, Ohio.	125,509	46	16	2	1	13	4	5
Fall River, Mass.	126,904	39	4	1	37	1	7	4
Grand Rapids, Mich.	125,759	31	4	3	18	6	3
Hartford, Conn.	108,969	38	6	4	8	3
Lowell, Mass.	112,124	28	7	12	6	5
Lynn, Mass.	100,316	21	3	1	8	2
Nashville, Tenn.	115,978	43	7	36	1	4	2
New Bedford, Mass.	114,694	21	2	2	4	8
New Haven, Conn.	147,095	1	2	2	1
Oakland, Cal.	190,803	6	7	5
Omaha, Nebr.	135,455	33	1	1	1	3
Reading, Pa.	105,094	26	2	1	1
Richmond, Va.	154,674	59	4	8	3	3	4
Salt Lake City, Utah.	113,567	18	2	1	285	17
Springfield, Mass.	103,216	36	15	3	2	1	4	3
Syracuse, N. Y.	152,534	39	3	7	4	1
Tacoma, Wash.	108,094	1	204	1
Toledo, Ohio.	187,840	59	6	1	31	4
Trenton, N. J.	109,212	48	3	7	5
Worcester, Mass.	160,523	41	4	6	1	5	6	3
From 50,000 to 100,000 inhabit- ants:										
Atlantic City, N. J.	55,806	6	1	1
Bayonne, N. J.	67,582	2	1	3
Berkeley, Cal.	54,879	10	2
Binghamton, N. Y.	53,082	24	7	5	1	3	1
Brockton, Mass.	65,746	17	1	2	1
Canton, Ohio.	59,139	12	3	2
Charleston, S. C.	60,427	39	5	1	1	4
Covington, Ky.	56,520	12	3	1	1	1
Duluth, Minn.	91,913	4	3	6
El Paso, Tex.	51,936	47	1	1	1	2	13
Erie, Pa.	73,798	6	6	20
Evansville, Ind.	72,125	21	5	1	3	2
Fort Worth, Tex.	99,528	10	1
Harrisburg, Pa.	70,754	25	4	1	4	1
Hoboken, N. J.	76,104	10	5	4
Johnstown, Pa.	66,585	22	4	1	2
Lawrence, Mass.	98,197	29	8	1	3	4	5
Little Rock, Ark.	55,158	18	1
Malden, Mass.	50,067	8	4	14	1
Manchester, N. H.	76,959	18	4	2	2	2	2
Mobile, Ala.	56,536	17	1
New Britain, Conn.	52,203	1
Norfolk, Va.	88,076	2
Oklahoma City, Okla.	88,158	13	5	1	8	1
Passaic, N. J.	69,010	17	5	1	2	2	1
Pawtucket, R. I.	58,156	13	3	2
Portland, Me.	63,014	20	1	1	1
Rockford, Ill.	53,761	7
Sacramento, Cal.	64,806	34	4	1
Saginaw, Mich.	54,815	8	3	7

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Nov. 18, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.		
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
From 50,000 to 100,000 inhabit- ants—Continued.											
St. Joseph, Mo.	83,974	20	4				5		2		
San Diego, Cal.	51,115	27			1		3		1		
Schenectady, N. Y.	95,265	18	1		4		2		5		
Sioux City, Iowa	55,588		1				1				
Somerville, Mass.	85,460	22	6	1					3		
Springfield, Ill.	59,468	15	13		1		3		3		
Springfield, Ohio.	50,804	17	3	2			1	1	3		
Troy, N. Y.	77,738		2		1		1		2		
Wichita, Kans.	67,847								1		
Wilkes-Barre, Pa.	75,218	22	5				1		3		
Wilmington, Del.	93,161	30	2		1		2				
York, Pa.	50,543								3		
From 25,000 to 50,000 inhabit- ants:											
Alameda, Cal.	27,031	6			1		1		3		
Austin, Tex.	34,016	7	2	1			2				
Bellingham, Wash.	31,609				3						
Brookline, Mass.	31,934	13							1		
Butte, Mont.	42,918	32		1		1		1			
Chelsea, Mass.	32,452	6	1				2				
Chicopee, Mass.	28,688	10	3	1							
Cumberland, Md.	25,564	9	3		1		1		1		
Danville, Ill.	31,554	10	1						1		
Dubuque, Iowa.	39,650								1		
East Chicago, Ind.	27,200		2		1						
East Orange, N. J.	41,155	8	1				2				
Elgin, Ill.	27,844	5									
Everett, Mass.	38,307	7									
Everett, Wash.	33,767	6			1						
Fitchburg, Mass.	41,144	7	3		2				1		
Galveston, Tex.	41,076	18	3	1			1		1		
Haverhill, Mass.	47,774		4	1			1		1		
Jackson, Mich.	34,730		3	1			5		4		
Kalamazoo, Mich.	47,364	7	1						4		
Kenosha, Wis.	30,319	8							1		
La Crosse, Wis.	31,622	9	1								
Lexington, Ky.	39,703	11	9				1		3		
Lima, Ohio.	34,644	8	2				3				
Lincoln, Nebr.	46,028	12	9		1		1				
Long Beach, Cal.	28,012	8									
Lorain, Ohio.	35,662				2		5				
Lynchburg, Va.	32,385	12	1		13				2		
Madison, Wis.	30,084	1			1		5		3		
Medford, Mass.	25,737	3			3				2		
Montclair, N. J.	25,550		1						3		
Newton, Mass.	43,085	8	1								
Niagara Falls, N. Y.	36,240	12	9		12		1		1		
Norristown, Pa.	30,833	8	10	3	1						
Ogden, Utah	30,466	8	1		7		1				
Orange, N. J.	32,524	10	1						2		
Pasadena, Cal.	43,859	4	2						1		
Perth Amboy, N. J.	39,725		2				1		2		
Pittsfield, Mass.	37,580	15							1		
Portsmouth, Va.	38,610	9			1		1				
Quincy, Ill.	39,764	6	3								
Quincy, Mass.	37,251	3									
Racine, Wis.	45,507	7	2								
Roanoke, Va.	41,929	5	2				1		1		
Rock Island, Ill.	27,961	6			1		1				
San Jose, Cal.	37,994	11	1		1				5		
Steubenville, Ohio.	26,631	13									
Stockton, Cal.	34,508	14	3	1	27		2		2		
Superior, Wis.	45,285	11	3		4						
Taunton, Mass.	35,957	13	8				2		1		
Topeka, Kan.	47,914	9	1		5						
Waltham, Mass.	30,129	9									
Watertown, N. Y.	29,384	11	1	1							
West Hoboken, N. J.	41,833	7							2		
Wheeling, W. Va.	43,097	20	2		3		3		1		
Williamsport, Pa.	33,495		7				3				
Zanesville, Ohio.	30,406	6									

* Population April 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con.

City Reports for Week Ended Nov. 18, 1916—Continued.

City.	Popula- tion as of July 1, 1915 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabit- ants:										
Ann Arbor, Mich.....	14,979	9	1							
Beaver Falls, Pa.....	13,316		1							
Braddock, Pa.....	21,310	2	1							
Cairo, Ill.....	15,593	7	2							2
Clinton, Mass.....	¹ 13,075	3					1			
Coffeyville, Kans.....	16,765		1							
Concord, N. H.....	22,480	5	4				1			
Galesburg, Ill.....	23,923	10								
Kearny, N. J.....	22,753	5	2						2	
Kokomo, Ind.....	20,312	6	3	2	21				1	
Long Branch, N. J.....	15,057	2								
Morristown, N. J.....	13,153	3	2				2			1
Nanticoke, Pa.....	22,441	3								
Newburyport, Mass.....	15,195	3								
New London, Conn.....	20,771	7	2						2	
North Adams, Mass.....	¹ 22,019	4			2		1			
Northampton, Mass.....	19,846	7			1				3	
Plainfield, N. J.....	23,280	16							2	2
Portsmouth, N. H.....	11,602				38					
Rutland, Vt.....	14,624	8	1		4		1			1
Sandusky, Ohio.....	20,160				21					1
Saratoga Springs, N. Y.....	12,842	4	1							1
Steelton, Pa.....	15,337	4								

¹Population Apr. 15, 1910; no estimate made.